

Die Cast Machinery, LLC Inventory number: DCM-4507

Used Acheson Model: DAG RL-2-6-21233 60 Inches of stroke Two Axis Linear Automatic Die Lubrication Sprayer for Die Casting and Foundry Operations

Status:	Sold
Manufacturer:	Acheson
Model:	DAG RL-2-6-21233
Size:	60 Inches of stroke
Inventory Number:	DCM-4507

Acheson - DAG RL-2-6-21233 60 Inches of stroke Two Axis Linear Automatic Die Lubrication Sprayer for Die Casting and Foundry Operations, Acheson/Mitsubishi FR-PU03E Controls

[View this machine online: DCM-4507](#)



Specifications

	U.S. Standard	Metric
Type:	RL-2-6	RL-2-6
Vertical Stroke (maximum):	60 inches	1524 mm
Maximum Travel Speed (7 speeds available)	27 inches per second	685.8 mm per second
Horizontal Adjustment:	12 inches	304.8 mm
Vertical Height Adjustment:	6 inches	127 33
Lubricant Flow-Rate (min/max)	0.26 - 2.0 gallons per minute	.98 - 7.7 liters per minute

Features & Accessories:

- Upgraded to Acheson/Mitsubishi FR-PU03E PLC Controls

Optional Equipment Available with Machine at Additional Cost: (click on item to view)

Sold – Buhler 84 DL 8400 kN Horizontal Cold Chamber Die Casting Machine	DCM-4506
Sold – Itaipresse CAM 3 Automatic Ladle System	DCM-4508
Sold – Thermaltek Crucible Type Aluminum Melting Holing Furnace	DCM-4509
Sold – Shamrock Model FCS 36-32-33 Automatic Ingot Charging System (automatic ingot loading system)	DCM-4510
Sold – Rimrock Model 320-60 Multi-Link Parts Extractor	DCM-4511
Sold – Erect-O-Veyor Model: 30 Inch Wide Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications	DCM-4512
Sold – Metal Mechanics 50 ton four post vertical trim press	DCM-4513

Terms of Sale:


Price: sold

Shipping Terms: Ex-works


Questions? Call (847) 360-9170 and mention DCM-4507.

Photos - DCM-4507

Click any photo to open it full size on our website.



[Photo 1 of DCM-4507 - view online](#)



[Photo 2 of DCM-4507 - view online](#)



[Photo 3 of DCM-4507 - view online](#)

Description:

Used, Acheson Model DAG RL-2-6-21233 60 Inches of stroke Two Axis Linear Automatic Die Lubrication Sprayer for Die Casting and Foundry Operations For_Sale, Features Include: Upgraded to Acheson/Mitsubishi FR-PU03E PLC Controls, Acheson/Mitsubishi FR-PU03E controls, second Hand, DCM-4507

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.