

Die Cast Machinery, LLC Inventory number: DCM-3396

Used Advance Products Model: Gemini 155 40 Inch Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations

Status:	Sold
Manufacturer:	Advance Products
Model:	Gemini 155
Size:	40 Inch
Inventory Number:	DCM-3396

Advance Products - Gemini 155 40 Inch Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations, Toshiba Controls

[View this machine online: DCM-3396](#)



Specifications

	U.S. Standard	Metric
Vertical Stroke:	40 inches	1016 mm
Horizontal Base Adjustment (die thickness):	13 inches	330 mm
Machine Height:	48 inches	1220 mm
Machine Width:	35 inches	890 mm
Maximum Travel Speed:	40 IPS	1.0 MPS
Programmable Travel Speed:	.02 - 40 IPS	.005 - 1.0 MPS
Maximum Spread Head Weight:	75 pounds	34 Kg
Power Requirements:	120/1/60	120/1/60
Motor Drive:	Servo drive	Servo drive

Features & Accessories:

- Memory holds 50 programs with 20 start/stop set points each
- Touch Pad HMI
- Positioning Accuracy of 0.02 inch/0.005 mm

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – Lester Model: HP-900X-SF 900 Ton Horizontal Cold Chamber Aluminum High Pressure Die Casting Machine	DCM-3393
Sold – RDC Model: RDC-4000 4000 pounds Low Energy High Efficiency Natural Gas Heated Aluminum Holding Furnace	DCM-3394
Sold – Rimrock Model: 305 305-70 Inch Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations	DCM-3395
Sold – ABB Model: IRB 6400 120 Kg Six Axis Foundry Rated Industrial Robot with Extractor Package/Gripper for Extracting Die Castings	DCM-3397

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-3396.

Photos - DCM-3396

Click any photo to open it full size on our website.



[Photo 1 of DCM-3396 - view online](#)



[Photo 2 of DCM-3396 - view online](#)



[Photo 3 of DCM-3396 - view online](#)



[Photo 4 of DCM-3396 - view online](#)

Description:

Used, Advance Products Model Gemini 155 40 Inch Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations For_Sale, Features Include: Memory holds 50 programs with 20 start/stop set points each, Touch Pad HMI, Positioning Accuracy of 0.02 inch/0.005 mm, Toshiba controls, second Hand, DCM-3396

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.