

Die Cast Machinery, LLC Inventory number: DCM-6017

We offer for sale, subject to availability, prior sale and the terms listed below:

Used Ex-Cell-O B&T Model: DC-650-A 650 Ton

Status:	Available
Manufacturer:	Ex-Cell-O B&T
Model:	DC-650-A
Size:	650 Ton
Inventory Number:	DCM-6017

Ex-Cell-O B&T - DC-650-A 650 Ton , Allen Bradley PLC Controls Controls

[View this machine online: DCM-6017](#)



Specifications

	U.S. Standard	Metric
Rated Tonnage:	650 tons	589 tons
Tie Bar Diameter:	6.5 inches	165 mm
Clearance between Tie Bars (H x V):	32 x 32 inches	812 x 812 mm
Front Platen Size (T x H x V):	12 x 54 x 63 inches	304 x 1,371 x 1,600
Moving Platen Size (T x H x V):	12 x 54 x 54	304 x 1,371 x 1,371
Die Thickness (minimum to maximum):	12 - 32 inches	304 - 812
Die Stroke (adjustable):	15 - 21 inches	381 - 533
Shot Position Standard:	Center, -6 & -9 inches	Center, -152, 228 mm
Shot Cylinder Stroke:	18.5 - 23.5 inches	469 - 596 mm
Motor Size:	75 HP	56 kw
Machine Size (L x W x H):	26 x 8 x 10 feet	7.92 x 2.44 x 3.05 meters
Machine Weight:	68,000 pounds	31,820 kg

Features & Accessories:

- C-Frame Shot End with Hydraulic Shot Position Adjustment and Proportional Shot Control System
- Allen Bradley Solid State Programmable Controls
- Twin Cylinder Hydraulic Bumper Plate Ejection System
- Hydraulic Motorized Die Height Adjustment System
- Two (2) auxiliary hydraulic side core circuits on moving platen
- Air Safety Ratchet Device, Trabon Oil Type Automatic Lubrication System

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

[Trim Press](#)

DCM-6004

<u>Metal Mechanics Model: MM-35 35 Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press</u>	DCM-6005
<u>Rimrock Auto Ladle</u>	DCM-6018
<u>Aluminum Melting-Holding Furnace</u>	DCM-6019
<u>PCDC Model: PCDC-SC 24 Inch Wide by 8 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications</u>	DCM-6020
<u>Gooseneck Conveyor</u>	DCM-6021
<u>ABB Sprayer-Extractor Robot</u>	DCM-6022
<u>Forced Air Cooling Conveyor</u>	DCM-6023
<u>Prince Model: 629 CCA 650 Ton Horizontal Cold Chamber Aluminum High Pressure Die Casting Machine</u>	DCM-6024
<u>Rimrock Model: 305 50 Pound Pour Capacity Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations</u>	DCM-6025
<u>Lindberg MPH Model: 62-AMH-600-SP 600 Pound Per Hour Melt Capacity Reverberatory Type Wet Bath Stationary Aluminum Melting and Holding Furnace</u>	DCM-6026
<u>PCDC Model: PCDC-SC 24 Inch Wide by 8 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications</u>	DCM-6027
<u>PCDC Model: PCDC-GNC 24 Inch Wide by 14 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications</u>	DCM-6028
<u>ABB Model: IRB 4600 45 Kilogram Six Axis Foundry Rated Industrial Robot</u>	DCM-6029
<u>PCDC Model: PCDC-30x156 30 Inch Wide by 13 foot long Metal Chain Plate Conveyor Belt with Forced Air Cooling Fans and Tunnel for Die Cast and Foundry Applications</u>	DCM-6030

Terms of Sale:

Price: [request quotation](#)

Shipping Terms: Ex-works


Questions? Call (847) 360-9170 and mention DCM-6017.

Photos - DCM-6017


Click any photo to open it full size on our website.




[Photo 1 of DCM-6017 - view online](#)




[Photo 2 of DCM-6017 - view online](#)




[Photo 3 of DCM-6017 - view online](#)



[Photo 4 of DCM-6017 - view online](#)



[Photo 5 of DCM-6017 - view online](#)



[Photo 6 of DCM-6017 - view online](#)

Photos - DCM-6017 (continued)

Click any photo to open it full size on our website.




[Photo 7 of DCM-6017 - view online](#)



[Photo 8 of DCM-6017 - view online](#)




[Photo 9 of DCM-6017 - view online](#)



[Photo 10 of DCM-6017 - view online](#)



[Photo 11 of DCM-6017 - view online](#)



[Photo 12 of DCM-6017 - view online](#)

Photos - DCM-6017 (continued)

Click any photo to open it full size on our website.



[Photo 13 of DCM-6017 - view online](#)

Description:

Used, Ex-Cell-O B&T Model DC-650-A 650 Ton For_Sale, Features Include: C-Frame Shot End with Hydraulic Shot Position Adjustment and Proportional Shot Control System, Allen Bradley Solid State Programmable Controls, Twin Cylinder Hydraulic Bumper Plate Ejection System, Hydraulic Motorized Die Height Adjustment System, Two (2) auxiliary hydraulic side core circuits on moving platen, Air Safety Ratchet Device, Trabon Oil Type Automatic Lubrication System, Allen Bradley PLC Controls controls, second Hand, DCM-6017

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.