

Die Cast Machinery, LLC Inventory number: DCM-4499

Used Lindberg MPH Model: 62-H1816-L-SP 2300 pound bath capacity Low Energy High Efficiency Electric Heated Aluminum Holding Furnace

Status:	Sold
Manufacturer:	Lindberg MPH
Model:	62-H1816-L-SP
Size:	2300 pound bath capacity
Inventory Number:	DCM-4499



Lindberg MPH - 62-H1816-L-SP 2300 pound bath capacity Low Energy High Efficiency Electric Heated Aluminum Holding Furnace, Upgraded to ThermalTek Control Panel with Solid State Power Supply Controls

[View this machine online: DCM-4499](#)

Specifications

	U.S. Standard	Metric
Furnace Type:	Aluminum Holding Furnace	Aluminum Holding Furnace
Bath Capacity:	2,300 pounds	1,043 Kg
Energy Type:	Electric	Electric
Furnace Design:	Radiant Electric Elements	Radiant Electric Elements
Refractory:	Cast Lining	Cast Lining
Seperate Charge Well:	Yes	Yes
Dip-out Well:	Yes	Yes

Features & Accessories:

- Upgraded to ThermalTek Control Panel with Solid State Power Supply
- High Efficiency Low Energy Design
- Upgraded to ThermalTek Control Panel with Solid State Power Supply
- Dip-out Well designed for easy Auto-ladle Access
- Roof Mounted Heating Elements - Removable Roof Design for Ease of Service
- Watlow Digital Temperature Controller

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – Toshiba DC 800 CL-HT, 800 Ton Cold Chamber Die Cast Machine	DCM-4498
Sold – Metal Mechanics 50 Ton Vertical Four-Post Hydraulic Trim Press	DCM-4500
Sold – Steel Link-Belt Forced Air Cooling Conveyor with four (4) 1/2 HP cooling Fans	DCM-4501

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-4499.

Photos - DCM-4499

Click any photo to open it full size on our website.



[Photo 1 of DCM-4499 - view online](#)



[Photo 2 of DCM-4499 - view online](#)



[Photo 3 of DCM-4499 - view online](#)



[Photo 4 of DCM-4499 - view online](#)



[Photo 5 of DCM-4499 - view online](#)



[Photo 6 of DCM-4499 - view online](#)

Description:

Used, Lindberg MPH Model 62-H1816-L-SP 2300 pound bath capacity Low Energy High Efficiency Electric Heated Aluminum Holding Furnace For_Sale, Features Include: High Efficiency Low Energy Design, Upgraded to ThermalTek Control Panel with Solid State Power Supply, Dip-out Well designed for easy Auto-ladle Access, Roof Mounted Heating Elements - Removable Roof Design for Ease of Service, Watlow Digital Temperature Controller, Upgraded to ThermalTek Control Panel with Solid State Power Supply controls, second Hand, DCM-4499

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.