

**Die Cast Machinery, LLC Inventory number: DCM-5707**

## Used Regloplas Hot Water Model: P140L/34/CR15H/SK/RT100 34 kW Single Zone Portable Hot Water Process Heater Temperature control Unit

|                          |                         |
|--------------------------|-------------------------|
| <b>Status:</b>           | <b>Sold</b>             |
| <b>Manufacturer:</b>     | Regloplas Hot Water     |
| <b>Model:</b>            | P140L/34/CR15H/SK/RT100 |
| <b>Size:</b>             | 34 kW                   |
| <b>Inventory Number:</b> | DCM-5707                |

Regloplas Hot Water - P140L/34/CR15H/SK/RT100 34 kW Single Zone Portable Hot Water Process Heater Temperature control Unit, RT100 Controls

[View this machine online: DCM-5707](#)



### Specifications

|                                   | U.S. Standard                      | Metric                      |
|-----------------------------------|------------------------------------|-----------------------------|
| Heating Capacity:                 | 34 kW                              | 34 kW                       |
| Cooling Capacity:                 | 85 kw                              | 85 kw                       |
| Tank Capacity/Expansion Capacity: | 3.2 Gallons/0 Gallons              | 12.11 liters/0 liters       |
| Maximum Flow Rate:                | 37 gallons per minute (GPM)        | 140 liters per minute (LPM) |
| Maximum Rated System Pressure:    | 78.3 Pounds Per Square Inch (PSIG) | 5.39 BAR                    |
| Pump Motor Size:                  | 1.47 Horsepower (HP)               | 1.1 kw                      |
| Process Connection Size/Type      | 1 inches NPT                       | 25.4 mm NPT                 |
| Maximum Operating Temperature:    | 284 degrees F                      | 140 degrees C               |
| Full Load Amps @ 460 volt:        | 46 amp                             | 46 amp                      |
| Overall Size (L x W x H):         | 54 x 14 x 38 inches                | 1372 x 3556 x 965 mm        |
| Weight:                           | 375 lbs                            | 170 kg                      |

### Features & Accessories:

- Call us on our Hot Oil Temperature Control Unit Hot Line 7:00 AM to 7:00 PM at 1-847-360-9170 Extension 2
- Leak-free pump with magnetic coupling
- Solid-state relay (SSR)
- High Limit Safety Circuit
- Regloplas RT-100 Digital Temperature Controller

### Terms of Sale:

**Price:** [sold](#)

**Shipping Terms:** Ex-works

Questions? Call (847) 360-9170 and mention DCM-5707.

## Photos - DCM-5707

*Click any photo to open it full size on our website.*



[Photo 1 of DCM-5707 - view online](#)



[Photo 2 of DCM-5707 - view online](#)



[Photo 3 of DCM-5707 - view online](#)



[Photo 4 of DCM-5707 - view online](#)



[Photo 5 of DCM-5707 - view online](#)



[Photo 6 of DCM-5707 - view online](#)

## Photos - DCM-5707 (continued)

*Click any photo to open it full size on our website.*




[Photo 7 of DCM-5707 - view online](#)



[Photo 8 of DCM-5707 - view online](#)



[Photo 9 of DCM-5707 - view online](#)



[Photo 10 of DCM-5707 - view online](#)



[Photo 11 of DCM-5707 - view online](#)



[Photo 12 of DCM-5707 - view online](#)

## Photos - DCM-5707 (continued)


*Click any photo to open it full size on our website.*



[Photo 13 of DCM-5707 - view online](#)



[Photo 14 of DCM-5707 - view online](#)



[Photo 15 of DCM-5707 - view online](#)



[Photo 16 of DCM-5707 - view online](#)



[Photo 17 of DCM-5707 - view online](#)



[Photo 18 of DCM-5707 - view online](#)

## Photos - DCM-5707 (continued)

*Click any photo to open it full size on our website.*



[Photo 19 of DCM-5707 - view online](#)




[Photo 20 of DCM-5707 - view online](#)




[Photo 21 of DCM-5707 - view online](#)



[Photo 22 of DCM-5707 - view online](#)



[Photo 23 of DCM-5707 - view online](#)



[Photo 24 of DCM-5707 - view online](#)

## Photos - DCM-5707 (continued)

*Click any photo to open it full size on our website.*



[Photo 25 of DCM-5707 - view online](#)

### **Description:**

Used, Regloplas Hot Water Model P140L/34/CR15H/SK/RT100 34 kW Single Zone Portable Hot Water Process Heater Temperature control Unit For\_Sale, Features Include: Leak-free pump with magnetic coupling, Solid-state relay (SSR), High Limit Safety Circuit, Regloplas RT-100 Digital Temperature Controller, RT100 controls, second Hand, DCM-5707

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.