

Die Cast Machinery, LLC Inventory number: DCM-3996

Used Regloplas Model: 300LD/40/FM65/1K/RT50 80 kW (40 kW per zone) Dual (two) Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit

Status:	Sold
Manufacturer:	Regloplas
Model:	300LD/40/FM65/1K/RT50
Size:	80 kW (40 kW per zone)
Inventory Number:	DCM-3996

Regloplas - 300LD/40/FM65/1K/RT50 80 kW (40 kW per zone) Dual (two) Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit, RT50 Controls

[View this machine online: DCM-3996](#)



Specifications

	U.S. Standard	Metric
Main Heater Power (Zone #1):	40 kW	40 kW
Pump Motor Size (Zone #1):	3.75 HP	2.8 KW
Flow Rate (Zone #1):	23 gallons per minute	90 liters per minute
Connection size/type (Zone #1):	3/4 inch NPT	3/4 inch NPT
Main Heater Power (Zone #2):	40 kW	40 kW
Pump Motor Size (Zone #2):	3.75 HP	2.8 KW
Flow Rate (Zone #2):	23 gallons per minute	90 liters per minute
Connection size/type (Zone #2):	3/4 inch NPT	3/4 inch NPT
Maximum Operating Temperature:	572 degrees F	300 degrees C
Power Requirements:	480 volt / 3 phase / 60 cycle	480 volt / 3 phase / 60 cycle
Overall Size (L x W x H):	58 x 22 x 54	1473 x 559 x 1372 mm
Weight:	798 Pounds	361 kg

Features & Accessories:

- 40 KW Per Zone, Dual Zone, Total 80 KW Heating Capacity
- Magnetic Drive Pumps
- Solid State Relays
- Separate expansion vessel

Terms of Sale:

Price: [sold](#)

Shipping Terms: F.O.B. Warehouse

Questions? Call (847) 360-9170 and mention DCM-3996.

Photos - DCM-3996

Click any photo to open it full size on our website.




[Photo 1 of DCM-3996 - view online](#)



[Photo 2 of DCM-3996 - view online](#)



[Photo 3 of DCM-3996 - view online](#)



[Photo 4 of DCM-3996 - view online](#)



[Photo 5 of DCM-3996 - view online](#)



[Photo 6 of DCM-3996 - view online](#)

Photos - DCM-3996 (continued)

Click any photo to open it full size on our website.



[Photo 7 of DCM-3996 - view online](#)



[Photo 8 of DCM-3996 - view online](#)



[Photo 9 of DCM-3996 - view online](#)



[Photo 10 of DCM-3996 - view online](#)



[Photo 11 of DCM-3996 - view online](#)



[Photo 12 of DCM-3996 - view online](#)

Photos - DCM-3996 (continued)

Click any photo to open it full size on our website.



[Photo 13 of DCM-3996 - view online](#)



[Photo 14 of DCM-3996 - view online](#)

Description:

Used, Regloplas Model 300LD/40/FM65/1K/RT50 80 kW (40 kW per zone) Dual (two) Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For_Sale, Features Include: Magnetic Drive Pumps, Solid State Relays, Separate expansion vessel, RT50 controls, second Hand, DCM-3996

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.