

Die Cast Machinery, LLC Inventory number: DCM-3877

Used Rimrock Model: RR-30-216 30 Inch Wide Mesh Belt Type Indexing Parts Conveyor with Water Quench Tank for Die Cast and Foundry Applications

Status:	Sold
Manufacturer:	Rimrock
Model:	RR-30-216
Size:	30 Inch Wide
Inventory Number:	DCM-3877

Rimrock - RR-30-216 30 Inch Wide Mesh Belt Type Indexing Parts Conveyor with Water Quench Tank for Die Cast and Foundry Applications, Programmable Controls

[View this machine online: DCM-3877](#)



Specifications

	U.S. Standard	Metric
Conveyor Belt Length:	216 inches	5.48 meter
Conveyor Belt Width:	30 inches	762 mm
Belt Material:	Steel Wire Mesh	Steel Wire Mesh
Programmable Indexing Time:	Yes	Yes
Quench Tank Size (Length x Width x Deep)	60 x 44 x 30 inches	1.52 x 1.11 x .762 meters
Equipped with Water Cooled Heat Exchanger:	Yes	Yes
Power:	480/3/60	480/3/60

Features & Accessories:

- Designed with Programmable Start/Stop Allowing Parts to Index Allowing For More Part Time
- Water Cooled Heat Exchanger for Cooling of Quench Tank

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – Prince 1242 1200 Ton Die Casting Machine	DCM-3798
Sold – Metal Mechanics 50 Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press	DCM-3836
Sold – Rimrock 410 Servo-Drive Reciprocator, 80 inch Stroke with Epic Controller	DCM-3854
Sold – Rimrock 305 Ladle with Epic Controller	DCM-3855
Sold – ABB IRB 6400/120 6-Axis Industrial Robot for Extracting Die Castings	DCM-3859
Sold – MPH AMH 500, 500 Pound Per Hour Aluminum Melting-Holding Furnace	DCM-3886

Terms of Sale:

Price: sold

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-3877.

Photos - DCM-3877


Click any photo to open it full size on our website.



[Photo 1 of DCM-3877 - view online](#)



[Photo 2 of DCM-3877 - view online](#)



[Photo 3 of DCM-3877 - view online](#)



[Photo 4 of DCM-3877 - view online](#)

Description:

Used, Rimrock Model RR-30-216 30 Inch Wide Mesh Belt Type Indexing Parts Conveyor with Water Quench Tank for Die Cast and Foundry Applications For_Sale, Features Include: Designed with Programmable Start/Stop Allowing Parts to Index Allowing For More Part Time, Water Cooled Heat Exchanger for Cooling of Quench Tank, Programmable controls, second Hand, DCM-3877

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.