

Die Cast Machinery, LLC Inventory number: DCM-5216

Used Rimrock Model: 414 36 Inches of vertical stroke Linear Automatic Die Lubrication Sprayer for Die Casting and Foundry Operations

Status:	Sold
Manufacturer:	Rimrock
Model:	414
Size:	36 Inches of vertical stroke
Inventory Number:	DCM-5216

Rimrock - 414 36 Inches of vertical stroke Linear Automatic Die Lubrication Sprayer for Die Casting and Foundry Operations, Epic with Cimrex 30 HMI Controls

[View this machine online: DCM-5216](#)



Specifications

	U.S. Standard	Metric
Vertical Stroke:	36 inches	1524 mm
Maximum Speed:	80 inches per second	2032 mmi per second
Drive Motor:	Brushless Servo Motor	Brushless Servo Motor
Programmable Spray Positions:	10	10
Maximum Spray Nozzles (026 & 032):	6 or 12	6 or 12
Lube Control:	Single Lube with blow-off	Single Lube with blow-off
Power Requirements:	120/1/60	120/1/60

Features & Accessories:

- Fully programmable, servo drive controlled reciprocator using the auto-teach mode via Rimrock Epic Control
- Platen mounted pedestal support with manual swing-out for ease of die change
- Custom spray manifold with single lube capability and air blow off
- Up to ten spray positions with intermediary sweeps
- Rugged but compact design

Terms of Sale:

Price: [sold](#)

Shipping Terms: F.O.B. Warehouse

Questions? Call (847) 360-9170 and mention DCM-5216.

Photos - DCM-5216

Click any photo to open it full size on our website.



[Photo 1 of DCM-5216 - view online](#)



[Photo 2 of DCM-5216 - view online](#)



[Photo 3 of DCM-5216 - view online](#)



[Photo 4 of DCM-5216 - view online](#)



[Photo 5 of DCM-5216 - view online](#)



[Photo 6 of DCM-5216 - view online](#)

Photos - DCM-5216 (continued)

Click any photo to open it full size on our website.




[Photo 7 of DCM-5216 - view online](#)



[Photo 8 of DCM-5216 - view online](#)



[Photo 9 of DCM-5216 - view online](#)



[Photo 10 of DCM-5216 - view online](#)




[Photo 11 of DCM-5216 - view online](#)



[Photo 12 of DCM-5216 - view online](#)

Photos - DCM-5216 (continued)

Click any photo to open it full size on our website.



[Photo 13 of DCM-5216 - view online](#)



[Photo 14 of DCM-5216 - view online](#)

Description:

Used, Rimrock Model 414 36 Inches of vertical stroke Linear Automatic Die Lubrication Sprayer for Die Casting and Foundry Operations For_Sale, Features Include: Fully programmable, servo drive controlled reciprocator using the auto-teach mode via Rimrock Epic Control, Platen mounted pedestal support with manual swing-out for ease of die change, Custom spray manifold with single lube capability and air blow off, Up to ten spray positions with intermediary sweeps, Rugged but compact design, Epic with Cimrex 30 HMI controls, second Hand, DCM-5216

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.