

Die Cast Machinery, LLC Inventory number: DCM-3851

Used Rimrock Model: 410-60 inch & 305 70 inch Standard Duty 410-60/305-70 inch Combination Ladle, Reciprocating Die Spray & Three Axis Extractor

Status:	Sold
Manufacturer:	Rimrock
Model:	410-60 inch & 305 70 inch Standard Duty
Size:	410-60/305-70 inch
Inventory Number:	DCM-3851

Rimrock - 410-60 inch & 305 70 inch Standard Duty 410-60/305-70 inch Combination Ladle, Reciprocating Die Spray & Three Axis Extractor, Triangle Controls

[View this machine online: DCM-3851](#)



Specifications

	U.S. Standard	Metric
Die Sprayer Vertical Stroke:	60 inches	1524 mm
Die Sprayer Horizontal Stroke:	21-3/4 inches	552 mm
Die Sprayer Horizontal Adjustment:	10-1/2 inches	266 mm
Die Sprayer Overall Height:	66-3/4 inches	1,695 mm
Die Spray Control:	Yes, A & B	Yes, A & B
Ladler Stroke:	40 to 70 Inches	1016 to 1778 mm
Ladle Pour Capacity:	50 pounds maximum	22.7 kg maximum
Ladle Draw-down:	17 inches maximum	431 mm maximum
Ladler Cycle Speed:	Adjustable	Adjustable
Ladle Pour Contour:	Adjustable 3 speed - 3 positions	Adjustable 3 speed - 3 positions
Maximum tilt of Ladler unit:	+/- 6 degrees	+/- 6 degrees
Power Requirements:	120/1/60	120/1/60

Features & Accessories:

- Compact Size - Small footprint on floor
- Sprayer has A & B Spray Controls for Different Spray Dilutions
- Fully Programmable via remote Pendant Station
- Common Triangle Control System Saves Space - Easy to Use
- Rimrock Triangle Controls with Remote Touch Pad Pendants
- Ladle Can Work on either operator or helper side of die cast machine - interchangeable

Optional Equipment Available with Machine at Additional Cost: [\(click on item to view\)](#)

Sold – HPM Model: II-800-A 800 Ton Horizontal Cold Chamber Aluminum High Pressure Die Casting Machine	DCM-3800
Sold – Metal Mechanics Model: 35 35 Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press	DCM-3839
Sold – Rimrock Model: RR-24-148 24 Inch Wide Mesh Belt Type Indexing Conveyor for Die Cast and Foundry Applications	DCM-3875
Sold – Thermtronix Model: RS-650 650 Pound Capacity Electric Heated Silicon Carbide Crucible Type Aluminum Melting Furnace	DCM-3883

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-3851.

Photos - DCM-3851


Click any photo to open it full size on our website.




[Photo 1 of DCM-3851 - view online](#)




[Photo 2 of DCM-3851 - view online](#)



[Photo 3 of DCM-3851 - view online](#)



[Photo 4 of DCM-3851 - view online](#)



[Photo 5 of DCM-3851 - view online](#)



[Photo 6 of DCM-3851 - view online](#)

Photos - DCM-3851 (continued)

Click any photo to open it full size on our website.



[Photo 7 of DCM-3851 - view online](#)



[Photo 8 of DCM-3851 - view online](#)

Description:

Used, Rimrock Model 410-60 inch & 305 70 inch Standard Duty 410-60/305-70 inch Combination Ladle, Reciprocating Die Spray & Three Axis Extractor For_Sale, Features Include: Compact Size - Small footprint on floor, Sprayer has A & B Spray Controls for Different Spray Dilutions, Fully Programmable via remote Pendant Station, Common Triangle Control System Saves Space - Easy to Use, Rimrock Triangle Controls with Remote Touch Pad Pendants, Ladle Can Work on either operator or helper side of die cast machine - interchangeable, Triangle controls, second Hand, DCM-3851

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.