

Die Cast Machinery, LLC Inventory number: DCM-3217

Used Rimrock Model: 410 410-60 Inch Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations

Status:	Sold
Manufacturer:	Rimrock
Model:	410
Size:	410-60 Inch
Inventory Number:	DCM-3217

Rimrock - 410 410-60 Inch Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations, Epic Controls

[View this machine online: DCM-3217](#)



Specifications

	U.S. Standard	Metric
Vertical Stroke:	60 inches	1524 mm
Horizontal Stroke:	21.7 inches	551 mm
Machine Height:	63.8 inches	1620 mm
Machine Width:	20.5 inches	520 mm
Spray Control:	Dual Lube A/B	Dual Lube A/B
Power Requirements:	120/1/60	120/1/60
Motor Drive:	Servo drive	Servo drive

Features & Accessories:

- Fully programmable using the auto-teach mode via Epic Controls
- Motorized horizontal base adjustment to compensate for varying die thicknesses
- Dual Lube System
- Rugged but compact design

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – Metal Mechanics Model: 50 50 Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press	DCM-3213
Sold – Prince Model: 836 CCA 850 Ton Horizontal Cold Chamber Aluminum High Pressure Die Casting Machine	DCM-3214
Sold – Lindberg MPH Model: 62-GH 1800 Pound Low Energy High Efficiency Natural Gas Heated Aluminum Holding Furnace	DCM-3215
Sold – Advance Products Model: SL 1200 1200 SL Multi-Link Automatic Ladle for Non-Ferrous Aluminum and Brass Die Casting and Foundry Operations	DCM-3216

[Sold – ABB Model: IRB 6400 2.40-120 Meter Six Axis Foundry Rated Industrial Robot with Extractor
Package/Gripper for Extracting Die Castings](#)

DCM-3218

[Sold – Visi-Trak Model: True-Trak 20/20 Die Cast Monitoring and Data Collection Unit with Graphic HMI
Interface](#)

DCM-3219

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-3217.

Photos - DCM-3217


Click any photo to open it full size on our website.



[Photo 1 of DCM-3217 - view online](#)



[Photo 2 of DCM-3217 - view online](#)



[Photo 3 of DCM-3217 - view online](#)



[Photo 4 of DCM-3217 - view online](#)




[Photo 5 of DCM-3217 - view online](#)




[Photo 6 of DCM-3217 - view online](#)

Photos - DCM-3217 (continued)


Click any photo to open it full size on our website.



[Photo 7 of DCM-3217 - view online](#)



[Photo 8 of DCM-3217 - view online](#)



[Photo 9 of DCM-3217 - view online](#)



[Photo 10 of DCM-3217 - view online](#)

Description:

Used, Rimrock Model 410 410-60 Inch Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations For_Sale, Features Include: Fully programmable using the auto-teach mode via Epic Controls, Motorized horizontal base adjustment to compensate for varying die thicknesses, Dual Lube System, Rugged but compact design, Epic controls, second Hand, DCM-3217

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.