

Die Cast Machinery, LLC Inventory number: DCM-6307

We offer for sale, subject to availability, prior sale and the terms listed below:

Used Rimrock Model: Rimrock 410 HD K350 410-60 Inch stroke Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations

Status:	Available
Manufacturer:	Rimrock
Model:	Rimrock 410 HD K350
Size:	410-60 Inch stroke
Inventory Number:	DCM-6307

Rimrock - Rimrock 410 HD K350 410-60 Inch stroke Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations, Allen Bradley CompactLogix K350 Servo with Allen Bradley PanelView Plus 1000 Color HMI Controls

[View this machine online: DCM-6307](#)



Specifications

	U.S. Standard	Metric
Vertical Stroke:	60 inches	1524 mm
Horizontal Stroke:	17.4 inches	441 mm
Die Thickness Adjustment:	10.5 inches	266 mm
Machine Height:	56.2 inches	1427 mm
Machine Width:	20.5 inches	520 mm
Power Requirements:	120/1/60	120/1/60
Motor Drive:	Allen Bradley K350 Servo drive	Allen Bradley K350 Servo drive

Features & Accessories:

- New in 2013 Factory Allen Bradley K350 CompactLogix Controls with PanelView 1000 Plus Color HMI
- Fully programmable using the auto-teach mode via Allen Bradley PanelView Plus HMI
- Horizontal base adjustment to compensate for varying die thicknesses
- Includes Lube Valve System for controlling Die Lube, Air Blow-Off and Water
- Rugged but compact design
- User friendly controls via HMI interface

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Please Return to Pace Harrison Bay 5 DCM#20	DCM-6306
Fanuc Robotics Model: R-2000iB 165 F with R-J30iB Controller 2000 Six Axis Foundry Rated Industrial Robot with Extractor Package/Gripper for Extracting Die Castings	DCM-6308
Striko Westofen Model: W 1200 SL ProDos xp 1200 kg Low Energy Electric Heated Aluminum Holding and Dosing Furnace	DCM-6309

[Birch Model: BMC-50 50 U.S. Ton Four Column \(Post\) Vertical Hydraulic Die Casting Trim Press](#)

DCM-6311

Terms of Sale:

Price: [request quotation](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-6307.

Photos - DCM-6307

Click any photo to open it full size on our website.




[Photo 1 of DCM-6307 - view online](#)



[Photo 2 of DCM-6307 - view online](#)



[Photo 3 of DCM-6307 - view online](#)



[Photo 4 of DCM-6307 - view online](#)

Description:

Used, Rimrock Model Rimrock 410 HD K350 410-60 Inch stroke Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations For_Sale, Features Include: Fully programmable using the auto-teach mode via Allen Bradley PanelView Plus HMI, Horizontal base adjustment to compensate for varying die thicknesses, Includes Lube Valve System for controlling Die Lube, Air Blow-Off and Water, Rugged but compact design, User friendly controls via HMI interface, Allen Bradley CompactLogix K350 Servo with Allen Bradley PanelView Plus 1000 Color HMI controls, second Hand, DCM-6307

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.