


Die Cast Machinery, LLC Inventory number: DCM-5761

Used Rimrock Model: Rimrock E410 410-72 Inch stroke Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations

Status:	Sold
Manufacturer:	Rimrock
Model:	Rimrock E410
Size:	410-72 Inch stroke
Inventory Number:	DCM-5761

Rimrock - Rimrock E410 410-72 Inch stroke Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations, Rimrock Epic Controls with HMI Controls

[View this machine online: DCM-5761](#)



Specifications

	U.S. Standard	Metric
Vertical Stroke:	72 inches	1,828 mm
Horizontal Stroke:	21.7 inches	551 mm
Die Thickness Adjustment:	10.5 inches	266 mm
Machine Height:	56.2 inches	1620 mm
Machine Width:	20.5 inches	520 mm
Power Requirements:	120/1/60	120/1/60
Motor Drive:	Allen Bradley Servo drive	Allen Bradley Servo drive

Features & Accessories:

- Rimrock Epic Controls with Rimrock Big Screen HMI Screen
- Fully programmable using the auto-teach mode via HMI Interface
- Horizontal base adjustment to compensate for varying die thicknesses
- Includes Lube Valve System for controlling Die Lube, Air Blow-Off and Water
- Rugged but compact design
- User friendly controls via HMI interface

Terms of Sale:


Price: [sold](#)

Shipping Terms: F.O.B. Warehouse

Questions? Call (847) 360-9170 and mention DCM-5761.

Photos - DCM-5761

Click any photo to open it full size on our website.



[Photo 1 of DCM-5761 - view online](#)




[Photo 2 of DCM-5761 - view online](#)




[Photo 3 of DCM-5761 - view online](#)



[Photo 4 of DCM-5761 - view online](#)



[Photo 5 of DCM-5761 - view online](#)




[Photo 6 of DCM-5761 - view online](#)

Photos - DCM-5761 (continued)

Click any photo to open it full size on our website.



[Photo 7 of DCM-5761 - view online](#)



[Photo 8 of DCM-5761 - view online](#)



[Photo 9 of DCM-5761 - view online](#)



[Photo 10 of DCM-5761 - view online](#)



[Photo 11 of DCM-5761 - view online](#)



[Photo 12 of DCM-5761 - view online](#)

Photos - DCM-5761 (continued)

Click any photo to open it full size on our website.



[Photo 13 of DCM-5761 - view online](#)



[Photo 14 of DCM-5761 - view online](#)



[Photo 15 of DCM-5761 - view online](#)



[Photo 16 of DCM-5761 - view online](#)



[Photo 17 of DCM-5761 - view online](#)




[Photo 18 of DCM-5761 - view online](#)

Photos - DCM-5761 (continued)


Click any photo to open it full size on our website.



[Photo 19 of DCM-5761 - view online](#)



[Photo 20 of DCM-5761 - view online](#)



[Photo 21 of DCM-5761 - view online](#)



[Photo 22 of DCM-5761 - view online](#)




[Photo 23 of DCM-5761 - view online](#)




[Photo 24 of DCM-5761 - view online](#)

Photos - DCM-5761 (continued)

Click any photo to open it full size on our website.




[Photo 25 of DCM-5761 - view online](#)



[Photo 26 of DCM-5761 - view online](#)




[Photo 27 of DCM-5761 - view online](#)



[Photo 28 of DCM-5761 - view online](#)




[Photo 29 of DCM-5761 - view online](#)



[Photo 30 of DCM-5761 - view online](#)

Photos - DCM-5761 (continued)


Click any photo to open it full size on our website.



[Photo 31 of DCM-5761 - view online](#)



[Photo 32 of DCM-5761 - view online](#)



[Photo 33 of DCM-5761 - view online](#)



[Photo 34 of DCM-5761 - view online](#)



[Photo 35 of DCM-5761 - view online](#)



[Photo 36 of DCM-5761 - view online](#)

Photos - DCM-5761 (continued)

Click any photo to open it full size on our website.




[Photo 37 of DCM-5761 - view online](#)



[Photo 38 of DCM-5761 - view online](#)



[Photo 39 of DCM-5761 - view online](#)



[Photo 40 of DCM-5761 - view online](#)



[Photo 41 of DCM-5761 - view online](#)



[Photo 42 of DCM-5761 - view online](#)

Description:

Used, Rimrock Model Rimrock E410 410-72 Inch stroke Multi-Link Automatic Reciprocating Die Lubrication Sprayer for Die Casting and Foundry Operations For_Sale, Features Include: Fully programmable using the auto-teach mode via HMI Interface, Horizontal base adjustment to compensate for varying die thicknesses, Includes Lube Valve System for controlling Die Lube, Air Blow-Off and Water, Rugged but compact design, User friendly controls via HMI interface, Rimrock Epic Controls with HMI controls, second Hand, DCM-5761

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.