

Die Cast Machinery, LLC Inventory number: DCM-5981

Used Robamat Hot Water Model: Thermocast 2212 36 kw (18 kW per zone) Dual (two) Zone Portable Hot Water Process Heater Temperature control Unit

Status:	Sold
Manufacturer:	Robamat Hot Water
Model:	Thermocast 2212
Size:	36 kw (18 kW per zone)
Inventory Number:	DCM-5981

Robamat Hot Water - Thermocast 2212 36 kw (18 kW per zone) Dual (two) Zone Portable Hot Water Process Heater Temperature control Unit, Robamat 103 Controls

[View this machine online: DCM-5981](#)



Specifications

	U.S. Standard	Metric
Main Heater Power (Zone #1):	18 kW	18 kW
Pump Motor Size (Zone #1):	2.0 HP	1 KW
Flow Rate (Zone #1):	15.8 gallons per minute	60 liters per minute
Connection size/type (Zone #1):	3/4 inch NPT	1.81 mm NPT
Main Heater Power (Zone #2):	18 kW	18 kW
Pump Motor Size (Zone #2):	2 HP	1 KW
Flow Rate (Zone #2):	15.8 gallons per minute	60 liters per minute
Connection size/type (Zone #2):	3/4 inch NPT	1.81 mm NPT
Maximum Operating Temperature:	320 degrees Fahrenheit	160 degrees C
Power Requirements:	480 volt / 3 phase / 60 cycle	480 volt / 3 phase / 60 cycle
Overall Size (L x W x H):	16.38 x 56.3 x 40.83 inches	416 x 1430 x 1037
Weight:	374 Pounds	170 kg

Features & Accessories:

- Leak-free pump with magnetic coupling
- Solid-state relay (SSR)
- High Limit Safety Circuit
- Separate Expansion Tank
- Robamat 103 Digital Temperature Controller

Optional Equipment Available with Machine at Additional Cost: [\(click on item to view\)](#)

[Sold – Prince Model: 1651 CCA 1600 Ton Horizontal Cold Chamber Aluminum High Pressure Die Casting Machine](#)

DCM-6316

Industrial Innovation Model: Shot Sleeves Die Casting Tool	DCM-6320
DAN TEST Model: BT344 334 10KW Dan Size Test To See if this will let me save a larger input in this field	DCM-6321
Horizontal Cold Chamber Aluminum High Pressure Die Casting Machine	
Metal Mechanics Model: TP-50 50 U.S. Ton Four Column (Post) Vertical Hydraulic Die Casting Trim Press	DCM-5921

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-5981.

Photos - DCM-5981

Click any photo to open it full size on our website.




[Photo 1 of DCM-5981 - view online](#)




[Photo 2 of DCM-5981 - view online](#)



[Photo 3 of DCM-5981 - view online](#)



[Photo 4 of DCM-5981 - view online](#)



[Photo 5 of DCM-5981 - view online](#)

Description:

Used, Robamat Hot Water Model Thermocast 2212 36 kw (18 kW per zone) Dual (two) Zone Portable Hot Water Process Heater Temperature control Unit For_Sale, Features Include: Leak-free pump with magnetic coupling, Solid-state relay (SSR), High Limit Safety Circuit, Separate Expansion Tank, Robamat 103 Digital Temperature Controller, Robamat 103 controls, second Hand, DCM-5981

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.