

Die Cast Machinery, LLC Inventory number: DCM-4026

Used Sterlco Model: M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit

Status:	Sold
Manufacturer:	Sterlco
Model:	M2B2016-M1
Size:	24 kW
Inventory Number:	DCM-4026

Sterlco - M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit, M2B Microprocessor Controls

[View this machine online: DCM-4026](#)



Specifications

	U.S. Standard	Metric
Main Heater Power (Zone #1):	24 KW	24 KW
Pump Motor Size (Zone #1):	2 HP	1.5 KW
Flow Rate (Zone #1):	24 gallons per minute	91 liters per minute
Connection size/type:	1 inch NPT	1 inch NPT
Maximum Operating Temperature:	550 degrees F	288 degrees C
Overall Size (L x W x H):	41 x 20 x 47 inches	1041 x 508 x 1193 mm
Full Load Amps @ 480/3/60:	32.3 AMPS	32.3 AMPS
Approximate Shipping Weight:	370 pounds	167 kG

Features & Accessories:

- M2B Microprocessor Controls
- Alarms for low fluid pressure, pump rotation, over temperature
- Set points for Process, High Alarm, Low Alarm
- Displays for Process Temperature, Return Temperature and Temperature Difference

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – Regloplas Model: 300L 20 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-3998
Sold – AEC Model: TDH-6Q 75 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-4054
Sold – AEC Model: TCOU-2 12 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-4064
Sold – Advantage Model: R-1230HC-41D2 12 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-4081

Sold – HEAT Heat Exchange And Transfer Model: KM550B-12-483 12 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit	DCM-4090
Sold – AEC Model: TCOU-1 12 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-4102
Sold – AEC Model: TDH-5 12 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-4166
Sold – Mokon Model: H44112-BM 12 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-4195
Sold – 480 Volt Connection Plugs for Temperature Control Units	DCM-4262
Sold – Mokon Model: H44212EH 24 KW (12 kw per zone) Dual (two) Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit	DCM-4339

Terms of Sale:**Price:** [sold](#)**Shipping Terms:** F.O.B. Warehouse

Questions? Call (847) 360-9170 and mention DCM-4026.

Photos - DCM-4026

Click any photo to open it full size on our website.



[Photo 1 of DCM-4026 - view online](#)



[Photo 2 of DCM-4026 - view online](#)



[Photo 3 of DCM-4026 - view online](#)



[Photo 4 of DCM-4026 - view online](#)



[Photo 5 of DCM-4026 - view online](#)




[Photo 6 of DCM-4026 - view online](#)

Photos - DCM-4026 (continued)

Click any photo to open it full size on our website.



[Photo 7 of DCM-4026 - view online](#)



[Photo 8 of DCM-4026 - view online](#)




[Photo 9 of DCM-4026 - view online](#)



[Photo 10 of DCM-4026 - view online](#)



[Photo 11 of DCM-4026 - view online](#)



[Photo 12 of DCM-4026 - view online](#)

Photos - DCM-4026 (continued)

Click any photo to open it full size on our website.



[Photo 13 of DCM-4026 - view online](#)



[Photo 14 of DCM-4026 - view online](#)



[Photo 15 of DCM-4026 - view online](#)



[Photo 16 of DCM-4026 - view online](#)



[Photo 17 of DCM-4026 - view online](#)



[Photo 18 of DCM-4026 - view online](#)

Photos - DCM-4026 (continued)

Click any photo to open it full size on our website.



[Photo 19 of DCM-4026 - view online](#)



[Photo 20 of DCM-4026 - view online](#)



[Photo 21 of DCM-4026 - view online](#)



[Photo 22 of DCM-4026 - view online](#)



[Photo 23 of DCM-4026 - view online](#)



[Photo 24 of DCM-4026 - view online](#)

Photos - DCM-4026 (continued)

Click any photo to open it full size on our website.



[Photo 25 of DCM-4026 - view online](#)



[Photo 26 of DCM-4026 - view online](#)



[Photo 27 of DCM-4026 - view online](#)



[Photo 28 of DCM-4026 - view online](#)

Description:

Used, Sterlco Model M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For_Sale, Features Include: M2B Microprocessor Controls, Alarms for low fluid pressure, pump rotation, over temperature, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference, M2B Microprocessor controls, second Hand, DCM-4026

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.