

Die Cast Machinery, LLC Inventory number: DCM-4480

Used Sterlco Model: M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit

Status:	Sold
Manufacturer:	Sterlco
Model:	M2B2016-M1
Size:	24 kW
Inventory Number:	DCM-4480

Sterlco - M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit, Sterlco Digital Controls

[View this machine online: DCM-4480](#)



Specifications

	U.S. Standard	Metric
Main Heater Power (Zone #1):	24 KW	24 KW
Pump Motor Size (Zone #1):	2 HP	1.5 KW
Flow Rate (Zone #1):	24 gallons per minute	91 liters per minute
Connection size/type:	1 inch NPT	1 inch NPT
Maximum Operating Temperature:	550 degrees F	288 degrees C
Overall Size (L x W x H):	41 x 20 x 47 inches	1041 x 508 x 1193 mm
Full Load Amps @ 480/3/60:	32.3 AMPS	32.3 AMPS
Approximate Shipping Weight:	370 pounds	167 kG

Features & Accessories:

- Sterlco Microprocessor Controls
- Alarms for low fluid pressure, pump rotation, over temperature
- Set points for Process, High Alarm, Low Alarm
- Displays for Process Temperature, Return Temperature and Temperature Difference

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – HPM D-900-A Cold Chamber Aluminum Die Casting Machine	DCM-4477
Sold – Rimrock 305 Automatic Ladle	DCM-4478
Sold – ABB IRB 6400 Foundry Robot for Part Extraction	DCM-4479
Sold – Advance Products/Industrial Innovations SR-1165 Die Lube Sprayer	DCM-4481
Sold – Lindberg/MPH Holimesy 2,200 pound low energy electric holding furnace	DCM-4482

[Sold – Hannifin 38 ton Gap Frame Type Trimming Press](#)

DCM-4483

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-4480.

Photos - DCM-4480

Click any photo to open it full size on our website.



[Photo 1 of DCM-4480 - view online](#)



[Photo 2 of DCM-4480 - view online](#)

Description:

Used, Sterlco Model M2B2016-M1 24 kW Single Zone Portable Hot Oil Process Heater Temperature Control Unit with Cooling Water Circuit For_Sale, Features Include: Sterlco Microprocessor Controls, Alarms for low fluid pressure, pump rotation, over temperature, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference, Sterlco Digital Controls controls, second Hand, DCM-4480

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.