

Die Cast Machinery, LLC Inventory number: DCM-4080

Used Sterlco Model: M2B 2016-MO 6 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit

Status:	Sold
Manufacturer:	Sterlco
Model:	M2B 2016-MO
Size:	6 KW
Inventory Number:	DCM-4080

Sterlco - M2B 2016-MO 6 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit, M2B Controls

[View this machine online: DCM-4080](#)



Specifications

	U.S. Standard	Metric
Main Heater Power (Zone #1):	6 kW	6 kW
Pump Motor Size (Zone #1):	1 HP	0.75 kW
Maximum Operating Temperature:	550 degrees F	288 degrees C
Flow Rate (Zone #1):	10 gallons per minute	3.8 liters per minute
Connection size/type:	1 inch NPT	1 inch NPT
Overall Size (L x W x H):	36.5 x 42 x 46 inches	927 x 1066.8 x 1168.4 mm
Power Requirement @16 amp	460 volt / 3 phase / 60 cycle	460 volt / 3 phase / 60 cycle

Features & Accessories:

- M2B Microprocessor Controls
- Set points for Process, High Alarm, Low Alarm
- Displays for Process Temperature, Return Temperature and Temperature Difference

Terms of Sale:

Price: [sold](#)

Shipping Terms: F.O.B. Warehouse

Questions? Call (847) 360-9170 and mention DCM-4080.

Photos - DCM-4080

Click any photo to open it full size on our website.




[Photo 1 of DCM-4080 - view online](#)



[Photo 2 of DCM-4080 - view online](#)



[Photo 3 of DCM-4080 - view online](#)



[Photo 4 of DCM-4080 - view online](#)



[Photo 5 of DCM-4080 - view online](#)



[Photo 6 of DCM-4080 - view online](#)

Photos - DCM-4080 (continued)

Click any photo to open it full size on our website.



[Photo 7 of DCM-4080 - view online](#)



[Photo 8 of DCM-4080 - view online](#)




[Photo 9 of DCM-4080 - view online](#)



[Photo 10 of DCM-4080 - view online](#)



[Photo 11 of DCM-4080 - view online](#)



[Photo 12 of DCM-4080 - view online](#)

Description:

Used, Sterlco Model M2B 2016-MO 6 KW Single Zone Portable Hot Oil Process Heater Temperature Control Unit For_Sale, Features Include: M2B Microprocessor Controls, Set points for Process, High Alarm, Low Alarm, Displays for Process Temperature, Return Temperature and Temperature Difference, M2B controls, second Hand, DCM-4080

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.