

Die Cast Machinery, LLC Inventory number: DCM-2526

Used Striko Westofen Model: 230

Status:	Sold
Manufacturer:	Striko Westofen
Size:	230
Inventory Number:	DCM-2526

Striko Westofen - 230 , Controls

[View this machine online: DCM-2526](#)



Specifications

	U.S. Standard	Metric
Model:	230 S	230 S
Bath Capacity:	5,060 Pounds	2,300 KG
Working Capacity:	1,760 Pounds	800 KG
Heating Power:	55,000 Watts	55 KW
Dosing Control:	ProDos DPC	ProDos DPC
Power Requirements	480 Volt, 3 Phase, 60 Cycle	480 Volt, 3 Phase, 60 Cycle

Features & Accessories:

- Serial Number: 3136 - New in 1999
- ProDos DPC Dosing System
- Fully Adjustable Lift/Tilt Frame for furnace position adjustment
- Charge (fill) furnace while dosing - no die cast machine interruption while charging the furnace
- Westomat Fully Automatic Crucible-Free Dosing System
- Durable Silicon Carbide Heating Elements

Optional Equipment Available with Machine at Additional Cost: *(click on item to view)*

Sold – Model: MH II-T 3000/2000 G-eg StrikoMelter (New - Never Installed)	DCM-2504
Sold – Striko Westofen Model: 120	DCM-2517
Sold – Striko Westofen Model: 120	DCM-2518
Sold – Striko Westofen Model: 120	DCM-2519
Sold – Striko Westofen Model: 120 Low Energy Electric Heated Aluminum Holding and Dosing Furnace	DCM-2520
Sold – Striko Westofen Model: 230	DCM-2525

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works

Questions? Call (847) 360-9170 and mention DCM-2526.

Photos - DCM-2526

Click any photo to open it full size on our website.



[Photo 1 of DCM-2526 - view online](#)



[Photo 2 of DCM-2526 - view online](#)



[Photo 3 of DCM-2526 - view online](#)



[Photo 4 of DCM-2526 - view online](#)



[Photo 5 of DCM-2526 - view online](#)



[Photo 6 of DCM-2526 - view online](#)

Photos - DCM-2526 (continued)

Click any photo to open it full size on our website.



[Photo 7 of DCM-2526 - view online](#)



[Photo 8 of DCM-2526 - view online](#)



[Photo 9 of DCM-2526 - view online](#)

Description:

Used, Striko Westofen Model 230 For_Sale, Features Include: ProDos DPC Dosing System, Fully Adjustable Lift/Tilt Frame for furnace position adjustment, Charge (fill) furnace while dosing - no die cast machine interruption while charging the furnace, Westomat Fully Automatic Crucible-Free Dosing System, Durable Silicon Carbide Heating Elements, controls, second Hand, DCM-2526

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.