

Die Cast Machinery, LLC Inventory number: DCM-4152

Used Thermtronix Model: GC-2000 440 pound per hour melt rate Dry Hearth Type Natural Gas Fired Stationary Aluminum Melting and Holding Furnace

Status:	Sold
Manufacturer:	Thermtronix
Model:	GC-2000
Size:	440 pound per hour melt rate
Inventory Number:	DCM-4152

Thermtronix - GC-2000 440 pound per hour melt rate Dry Hearth Type Natural Gas Fired Stationary Aluminum Melting and Holding Furnace, Thermtronix Controls

[View this machine online: DCM-4152](#)



Specifications

	U.S. Standard	Metric
Bath Capacity:	2,000 Pounds	900 KG
Melt Rate:	440 pounds per hour	200 KG per hour
Power Requirements:	480-240/3/60	480-240/3/60
Furnace Type:	Dry Hearth	Dry Hearth
Number of Burners:	1	1
Location of Burner:	Sidewall	Sidewall
Gas Consumption (high burner):	1,000 SCFH @ 1.5 PSI	28 SCMH @ 1.5 PSI
Number of Tap Outs:	1	1
Type of Temperature Controller:	Digital	Digital

Features & Accessories:

- Manufactured New by Thermtronix, Adelanto, California
- Dry Hearth Design - High Melt Quality,
- Pneumatically Operated Charge Well Door
- Pneumatically Operated Roof Door
- Top Access to Ease Cleaning of Furnace
- Thermtronix Safety-Tap System
- Solid State Flame Safety Furnace Controls

Terms of Sale:

Price: [sold](#)

Shipping Terms: Ex-works


Questions? Call (847) 360-9170 and mention DCM-4152.

Photos - DCM-4152

Click any photo to open it full size on our website.




[Photo 1 of DCM-4152 - view online](#)



[Photo 2 of DCM-4152 - view online](#)



[Photo 3 of DCM-4152 - view online](#)



[Photo 4 of DCM-4152 - view online](#)



[Photo 5 of DCM-4152 - view online](#)



[Photo 6 of DCM-4152 - view online](#)

Photos - DCM-4152 (continued)


Click any photo to open it full size on our website.



[Photo 7 of DCM-4152 - view online](#)



[Photo 8 of DCM-4152 - view online](#)



[Photo 9 of DCM-4152 - view online](#)



[Photo 10 of DCM-4152 - view online](#)



[Photo 11 of DCM-4152 - view online](#)



[Photo 12 of DCM-4152 - view online](#)

Photos - DCM-4152 (continued)

Click any photo to open it full size on our website.



[Photo 13 of DCM-4152 - view online](#)



[Photo 14 of DCM-4152 - view online](#)




[Photo 15 of DCM-4152 - view online](#)



[Photo 16 of DCM-4152 - view online](#)



[Photo 17 of DCM-4152 - view online](#)



[Photo 18 of DCM-4152 - view online](#)

Description:

Used, Thermtronix Model GC-2000 440 pound per hour melt rate Dry Hearth Type Natural Gas Fired Stationary Aluminum Melting and Holding Furnace For_Sale, Features Include: Dry Hearth Design - High Melt Quality, Pneumatically Operated Charge Well Door, Pneumatically Operated Roof Door, Top Access to Ease Cleaning of Furnace, Thermtronix Safety-Tap System, Solid State Flame Safety Furnace Controls, Thermtronix controls, second Hand, DCM-4152

PURCHASER'S (Buyer's) RESPONSIBILITY AND INDEMNITY: Used machines, equipment or any part thereof, may not incorporate approved activating mechanisms, operator safety devices or safety guards as required by OSHA or otherwise. It shall be a Purchaser's (Buyer's) responsibility to ensure that any and all merchandise or equipment purchased from Die Cast Machinery, LLC or its affiliates is installed and operated in a proper and safe manner. Purchaser (Buyer) also acknowledges that it may have to install or change guards, safeties, warnings or other components to ensure that the merchandise or machines purchased will conform to all laws, codes, regulations, ordinances, statutes, insurance requirements and industry standards. Purchaser agrees to defend, indemnify and hold harmless Die Cast Machinery, LLC from and against all suits, claims, costs, damages and expenses, including, but not limited to, reasonable attorneys' fees, arising out of, or in connection with, the transportation, purchase, ownership, or use of the merchandise or equipment sold hereunder. Information has been obtained from sources deemed reliable, buyers should avail themselves of the opportunity to inspect the items before purchase.